
Duster 600 Base (no carbons)

600 Base (no carbons)
600 Standard (with carbons)

Engineered to remove:

- Dust
- Odors
- Smoke
- VOCs
- Mists
- Spray Powder
- Toxic Fumes
- Pollen and Bacteria
- Clean shop air up to 800 sq. ft.
- Floor level pick-up, circulates all the air
- Lightweight and mobile
- Operates on standard 110 volts
- No assembly required ready to use
- Quiet operation
- Cleanable intake filters
- Meets OSHA and EPA requirements
- 5 Year warranty



Specifications		FILTERS: Made in the USA and Canada.	Part #	Qty
ELECTRICAL:	1/3 HP, 1.0 – 5 Amp 110V Direct Drive Motor Two speed	1. DUST PAD 12" x 36" x 2" (406mm x 915mm x 50mm)	11707	2
BLOWER CAPACITY:	600 CFM	2. INTAKE FILTER 12" x 36" x 4" – 45 pleats	11216	2
FILTER MONITOR:	Flip up indicator	(406mm x 915mm x 100mm)		
CONSTRUCTION:	Molded polyethylene Impact resistant	3. CARBON FILTER (refillable) and optional	11307	2
WEIGHT:	84 lbs (standard)	12" x 36" x 1-1/2" - 11 lbs 406mm x 915mm x 38mm – 5 kg		
	38.2 kg			

Marketed by



Specifications subject to change without notice




WARRANTY:

5 years parts, excluding filters



AIRFLOW DIRECTION



Particle Type	Microns		
Duster Intake filters	1.0		
Diameter of human hair	50.0 - 100.00		
Dust becomes visible	Over 18.0		
Viruses	Over 0.04		

STANDARD FILTERS

11307 **CARBON FILTER (Refillable)**

Removes fumes and odors. Contains 11lbs (5.0 kg) of activated pellets carbon. Not cleanable 2 per unit



11216 **INTAKE FILTER**

Surface loading media to capture pollutants to 1 micron. Pleated high surface area (40 sq ft), metal frame, (11707 pad in front). Vacuum cleanable Pressure washable 2 per unit



11707 **DUST PAD**

High capacity media to capture visible dust and spray powder. Used in front of intake filter Vacuum cleanable 2 per unit



Distributed by:			